



Exhaustive Examination of the Influence of Inedible Biodiesel on Engine Vibration

Christopher Selvam Damian,¹ Yuvarajan Devarajan^{1,*} and Raja Thandavamoorthy²

Abstract

This work explores the intricate relationship between biodiesel and engine vibration, a critical factor in assessing diesel engine performance with alternative fuels. Focusing on combustion characteristics, fuel qualities, and influential factors, the study examines how Biodiesel alters engine vibration, emphasizing connections with combustion dynamics. The investigation delves into biodiesel characteristics like viscosity and volatility, exploring their impact on atomization and combustion-induced vibration patterns. Factors such as lower heating value, oxygen content, injection timing, and bulk modulus are also considered. The review aims to consolidate existing research, offering a comprehensive resource for academics and stakeholders in sustainable engine technologies. It discusses Biodiesel's potential benefits and challenges, contributing to a nuanced understanding of its multidimensional impact on engine vibrations. This study enhances knowledge of Biodiesel's role in sustainable fuel usage within internal combustion engine vibrations.

Keywords: Biodiesel; Engine vibration; Renewable; Alternative fuel; Sustainable Practices.

Received: 03 March 2024; Revised: 05 September 2024; Accepted: 09 October 2024.

Article type: Research article.

1. Introduction

This paper presents a preliminary review of our extensive study on the correlation between Biodiesel and engine vibration. The growing importance of Biodiesel as a sustainable substitute for traditional fuels is evident. Given the increasing environmental concerns and the demand for more sustainable energy options, Biodiesel is highly feasible. Sustainable vegetable oils and animal fats are used to make the product, reducing greenhouse gas emissions and fossil fuel use. Hence, it is crucial to understand its influence on critical engine parameters. Fig. 1 shows the Biodiesel-engine vibration analysis method.

Our study aims to examine the correlation between biodiesel and engine vibration, a crucial factor that directly influences the engine's overall performance and efficiency.^[1] The introduction highlights engine vibration's complex and intricate nature caused by multiple elements, including combustion, mechanical motion, and aerodynamics. Identifying several vibration sources is essential for thoroughly examining Biodiesel's impact on every component.

¹ Department of Mechanical Engineering, Saveetha School of Engineering, Saveetha University, Chennai 602105, India.

² Department of Prosthodontics, Saveetha Dental College and Hospitals, Saveetha University, Chennai 600077, India.

*Email: dyuvarajan2@gmail.com (Y. Devarajan)

This investigation is crucial in assessing Biodiesel's feasibility and enduring sustainability as an alternative fuel. It is essential to ensure engines' reliable and efficient functioning to maximize their lifespan and achieve optimal performance.^[2]

Recently, notable progressions have occurred in the creation and utilization of Biodiesel. The research has mainly focused on enhancing the production processes of Biodiesel, improving the characteristics of the fuel, and optimizing the efficiency of engines when utilizing biodiesel blends. Research has demonstrated that Biodiesel can offer comparable or even enhanced engine performance compared to conventional diesel while providing the advantage of reduced emissions of harmful substances such as carbon monoxide, particulate matter, and unburned hydrocarbons.^[3] Furthermore, we stress the significance of considering the potential ramifications of changes in vibration patterns caused by Biodiesel. When integrating Biodiesel into existing engine technologies, it is essential to comprehend the relationship between Biodiesel and other sources of vibration. The introduction serves as an invitation to delve into the many facets of this relationship, emphasizing the significance of performing a thorough analysis of Biodiesel's effect on engine vibration to foster the advancement of sustainable fuel alternatives.^[4]

2. Experimental




Fig. 1 Correlation between biodiesel and engine vibration.

This section delves into a comprehensive examination of the correlation between combustion characteristics and engine vibration, specifically emphasizing two crucial factors: in-cylinder pressure and heat release rate. These factors are essential for comprehending the intricate processes occurring within the combustion chamber, which directly impact the engine's vibration patterns. We aim to clarify the intricate correlation between combustion dynamics and vibration to comprehensively understand how Biodiesel affects this crucial aspect of engine performance.^[5]

The importance of in-cylinder pressure cannot be exaggerated since it signifies the magnitude of force applied to the piston during the combustion process. The pressure profile, closely connected to the combustion dynamics, is the foundation of our analysis.^[6] At the same time, the heat release rate, which measures how quickly fuel is converted into thermal energy, is also a significant factor in determining combustion behavior. The combination of in-cylinder pressure and heat release rate determines the overall combustion profile, and any changes in these factors directly affect the resulting vibrating patterns in the engine.^[7]

The focal point of our discussion revolves around the correlation between combustion dynamics and vibration patterns. The link mentioned is fundamental to our analytical approach, as we aim to clarify the cause-and-effect connections between the changes caused by Biodiesel in combustion characteristics and the resulting modifications in engine vibration.^[8] By defining this complex relationship, our

objective is to establish a solid basis for comprehending the impact of Biodiesel, as a substitute fuel, on the fundamental mechanics of engine performance.^[9]

This part is an essential point in our research, as it prepares us for a more thorough examination of how Biodiesel affects combustion characteristics and, as a result, engine vibration. By thoroughly comprehending these dynamics, we set the foundation for wise evaluations that explore the broader consequences of biodiesel usage on the vibrational characteristics of diesel engines. Acquiring this information is crucial for effectively navigating the changing field of sustainable fuel technologies and maximizing engine performance to achieve environmental and operational efficiency.^[10]

3. Results and discussion

This section explores the complex correlation between the unique fuel qualities of Biodiesel, namely viscosity and volatility, and their significant impact on engine vibration. The primary objective is to understand the intricacies related to these qualities and tackle the possible difficulties linked with fuel atomization. This crucial combustion process affects the engine's vibration patterns.^[11]

3.1 Viscosity, atomization, and combustion

Viscosity, an essential characteristic of Biodiesel, is crucial in influencing the flow and consistency of the fuel. As the viscosity increases, the difficulty of attaining efficient

atomization becomes more noticeable. The debate explores the complex relationship between the viscosity of Biodiesel and the atomization process, which involves transforming the fuel into finely distributed droplets to achieve optimal combustion. The impact of changes in thickness on creating a uniform fuel-air mixture and the subsequent effect on combustion efficiency is carefully examined. The products of vibration patterns in the engine become evident as we explore the complex interaction between biodiesel viscosity, atomization, and combustion dynamics.^[12]

3.2 Volatility and its impact on atomization

The discussion also encompasses volatility, which is another crucial characteristic of fuel. Volatility, the fuel's capacity to evaporate, is critical to determining combustion efficiency. This section thoroughly analyzes the impact of Biodiesel's volatility on the atomization process, which is a crucial stage in achieving complete fuel-air mixing. The study investigates how fluctuations in volatility levels can create difficulties in achieving a consistent fuel-air mixture, which in turn impacts combustion dynamics. A thorough comprehension of these complex connections establishes the foundation for a detailed examination of the resulting impacts on engine vibration.^[13]

3.3 Challenges and opportunities

During the conversation, we focused on the difficulties presented by the distinctive fuel qualities of Biodiesel and their possible effects on engine vibration. The paper examines the problems associated with inadequate atomization in the context of combustion, emphasizing the significance of overcoming these obstacles to improve engine performance.^[14] At the same time, we acknowledge the potential benefits of using Biodiesel's characteristics to improve combustion efficiency and reduce the negative impacts of vibrations during the process. The amalgamation of difficulties and possibilities constitutes a vital storyline in effectively navigating the intricacies linked to Biodiesel as a substitute fuel.^[15]

Ultimately, this section thoroughly examines the interconnection between the fuel qualities of Biodiesel, the process of atomization, the act of combustion, and the occurrence of engine vibration. The paper enhances our understanding of Biodiesel's impact on combustion efficiency and the vibrational properties of diesel engines by examining how viscosity and volatility influence these complex dynamics. This knowledge is crucial for academics, engineers, and stakeholders who aim to maximize the utilization of Biodiesel in the development of sustainable and efficient engine technology.^[16]

3.4 Lower heating value and oxygen content

This section examines two crucial elements of Biodiesel: its lower heating value and increased oxygen content. It reveals how these factors impact engine output and reduce vibrations.^[17]

3.4.1 Lower heating value and engine power

The examination commences by emphasizing the lower heating value of Biodiesel, a pivotal metric that directly influences the energy content of the fuel. This section examines how alterations in the lower heating value, which are impacted by the qualities of Biodiesel, result in modifications in engine power. Integrating Biodiesel into the combustion process can lead to changes in the lower heating value, which in turn can impact the overall energy release during combustion.^[18] The talk explores the intricate correlation between the lower heating value of Biodiesel and engine power, highlighting how these fluctuations mitigate vibrations within the engine. The section establishes the foundation for comprehending how biodiesel characteristics might be tactically utilized to enhance engine performance and reduce vibrational impacts.^[19]

3.4.2 Higher oxygen content and combustion quality

Shifting focus to the increased oxygen content in Biodiesel, the conversation emphasizes this characteristic as a possible catalyst for improving combustion quality. A more significant oxygen concentration creates an atmosphere with a more substantial amount of oxygen during combustion, affecting the combustion properties of the fuel.^[20] This section examines the impact of increased oxygen levels on the combustion process, resulting in improved efficiency and a potential decrease in vibrations. The review highlights the various benefits that Biodiesel may provide in terms of engine performance by emphasizing the connection between increased oxygen content, enhanced combustion quality, and reduced vibration.^[21]

This section provides a comprehensive analysis of how the fundamental properties of Biodiesel, such as its lower heating value and higher oxygen content, substantially impact engine output and combustion dynamics. The results from this investigation improve our thorough understanding of the potential of Biodiesel as a substitute fuel. Enhancing energy release during combustion and minimizing vibrations presents a compelling case for integrating it into engine technologies that are both sustainable and resistant to vibrations.^[22] [Table 1](#) compares Biodiesel and diesel's lower heating value, oxygen content, and other parameters.

3.5 Injection timing and bulk modulus

This section explores explicitly the impact of injection timing and bulk modulus of Biodiesel on engine vibration, which are two crucial elements.^[23]

3.5.1 Injection timing and combustion events

The topic commences with examining the injection timing of Biodiesel, a crucial aspect that directly impacts the engine's timing and sequence of combustion events. Injecting Biodiesel into the combustion chamber can substantially affect the combustion process when there are changes in the injection time.^[24] This section explores the complex correlation between

Table 1. Comparison of lower heating value, oxygen content, and other parameters in biodiesel and diesel.

Fuel Type	Lower Heating Value (MJ/kg)	Oxygen Content (%)	Cetane Number	Viscosity (mm ² /s at 40°C)	Density (kg/m ³)	Impact on Engine Power (%)	Impact on Vibration Reduction (%)
Conventional Diesel	42.5	0	47	2.5	850	Baseline	Baseline
B20 Biodiesel Blend	40	3.4	54	2.7	860	-4.2%	-9.8%
B50 Biodiesel Blend	37.3	6.6	57	3.1	880	-9.8%	-16%
B100 Biodiesel	36	10.8	61	3.7	900	-11.3%	-18%

the characteristics of biodiesel and injection timing, offering valuable insights into the impact of timing adjustments on combustion processes. The review examines how Biodiesel can affect the timing of combustion, which in turn affects engine vibration patterns.^[25]

3.5.2 Bulk modulus and limited impact on vibration

The examination encompasses the bulk modulus of Biodiesel, a feature that defines the fuel's compressibility. This section thoroughly assesses the degree to which the bulk modulus impacts engine vibration. Although recognizing the bulk modulus's significance in determining the fuel's compressibility and density, the conversation emphasizes its minimal influence on vibration patterns within the engine. The review enhances our understanding of the limited impact of Biodiesel's bulk modulus on engine vibration despite its significance as a characteristic.^[26]

This section serves as a central point for comprehending the intricate influence of injection timing and bulk modulus on combustion events and engine vibration, two vital factors linked with biodiesel qualities. The review enhances our understanding of the intricate connection between these characteristics and their influence on vibration patterns. This contributes to maximizing the use of Biodiesel in engine technologies that prioritize sustainability and minimize vibration.^[27]

3.6. Biodiesel's damping function

This section analyses the reported damping effect of Biodiesel, as observed in several research studies. Biodiesel has the potential to decrease engine vibrations. The investigation aims to provide insights into the intriguing properties of Biodiesel and how they affect engine operation, either by reducing or improving it.

3.6.1 Damping function as observed

Multiple studies consistently indicate that Biodiesel has a suppressive impact on engine performance. Several experiments have shown evidence that Biodiesel can alleviate or reduce engine vibrations. A study by Smith *et al.* (2023) found that using a B20 biodiesel mix led to a 15% decrease in

engine vibration amplitudes compared to conventional diesel fuel.^[28] A study conducted by Zhao *et al.* (2023) discovered that using B50 biodiesel blends resulted in a 12% reduction in vibration levels. This section analyses the impact of utilizing Biodiesel in the combustion process, which leads to distinct characteristics that decrease engine vibrations.^[29]

3.6.2 Enhancements for improved engine performance

The research findings offer vital insights into the observed damping function's role in enhancing the engine's smooth operation. Recently, Martinez and Lee (2024) conducted research that revealed engines using biodiesel blends experienced a notable reduction in vibration frequency, resulting in improved operational smoothness.^[30] More precisely, the study showed that a combination of B100 biodiesel decreased the highest vibration frequencies by as much as 20% compared to regular diesel fuel.^[31] This section investigates the impact of Biodiesel on the vibrational dynamics of engine components, which is attributed to its inherent properties such as increased lubricity and cetane number. The part highlights the possible benefits of Biodiesel, including reducing vibrations and promoting smoother and more stable engine operation.

3.6.3 Influence mechanisms

Gaining insight into how Biodiesel impacts engine vibrations is essential. Multiple crucial elements contribute to the dampening action of Biodiesel. Firstly, Biodiesel exhibits a higher viscosity and superior lubricating characteristics compared to traditional diesel. This results in reduced wear and enhanced movement of engine parts, hence minimizing mechanical vibrations generated by friction and wear. Additionally, Biodiesel's elevated cetane number leads to a decreased ignition delay and enhanced combustion, resulting in diminished pressure wave intensity within the combustion chamber and, thus, reduced vibration levels. Furthermore, the oxygen-rich composition of Biodiesel enhances combustion efficiency and minimizes the accumulation of carbon residues on engine parts, leading to a more seamless engine performance and less vibration. Lastly, Biodiesel generally contains less sulfur, resulting in a cleaner fuel that also

minimizes the production of sulfuric acid, which can cause corrosion and heightened vibrations.^[32]

3.7 Blend-specific vibration performance

This section of the review consolidates the results of studies examining various blends of Biodiesel and diesel, offering a deeper understanding of the fluctuations in vibration performance. The analysis examines crucial elements, including oxygen concentration, viscosity, and calorific value, to determine the influence of these specific qualities of the mix on engine vibrations. Moreover, certain blends of Biodiesel and diesel, particularly B20 or B40, are recognized for exhibiting exceptional vibration performance.^[33, 34]

3.7.1 Variability in vibration performance

The talk begins by analyzing research that explores the vibration characteristics of different mixtures of Biodiesel and diesel.^[35] Combining these findings, the review emphasizes the natural variation in vibration patterns caused by the various blend compositions. This investigation offers a detailed comprehension of how the unique features of different blends lead to differences in engine vibrations. This forms the basis for thoroughly examining biodiesel blends as prospective alternatives for optimal engine performance.^[36]

3.7.2 Factors influencing vibration

The analysis explicitly investigates the impact of significant parameters on vibration performance, including oxygen content, viscosity, and calorific value. It aims to assess the specific contributions of these components to the observed variations. The section seeks to elucidate the complex connections between the unique features of various blends and their effects on the engine's combustion dynamics and vibrations. Understanding how each component affects vibration patterns is essential for selecting the most suitable

blend compositions that align to minimize vibrations.^[37]

3.7.3 Identification of superior blends

Particular focus is placed on mixes that arise as prospective contenders for exceptional vibration performance. Specifically, B20 or B40 blends are distinguished for their documented beneficial impact on engine vibrations.^[38] This section analyzes why certain combinations may demonstrate enhanced performance, considering characteristics such as higher oxygen content, optimal viscosity, and favorable calorific values. This identification is a significant reference for academics and practitioners who wish to utilize biodiesel-diesel blends to improve vibration control.^[39] This part fundamentally contributes to the progressive comprehension of how Biodiesel blends, with their unique properties specific to each blend, impact engine vibrations. The study consolidates research data from many studies and identifies better performance combinations, enabling informed decision-making in developing sustainable and vibration-conscious engine technology.^[40]

3.8 Cylinder pressure variation and heat release rate

This section of the review explores the complex relationship between cylinder pressure variation, heat release rate, and vertical vibration levels in the engine. The analysis seeks to offer a detailed comprehension of how the combustion features, specifically in the vertical direction (z-axis), impact the vibrational dynamics of the engine.^[41, 42] Fig. 2 shows the variation of HRR at different crank angles; Fig. 3 illustrates the cylinder pressure for test fuel blends at maximum load.

3.8.1 Correlation between cylinder pressure variation and heat release rate

The subject begins by examining the interdependent correlation between cylinder pressure fluctuation and the rate




Fig. 2 Variation of Heat release rate at different crank angles.




Fig. 3 Variation of cylinder pressure at different crank angles.

of heat emission during combustion.^[43] These two factors, essential indications of the combustion process, significantly impact the engine's overall performance. This section elucidates the delicate relationship between fluctuations in cylinder pressure and heat release rate, underscoring their influence on the combustion dynamics within the machine.^[44]

3.8.2 Influence on vertical vibration levels (z-axis)

Expanding on the comprehension of cylinder pressure and the pace at which heat is released, the discussion shifts to examining the levels of vertical vibration along the z-axis. This particular emphasis offers valuable insights into the correlation between combustion properties and vertical vibrations.^[45] The up-and-down motion of the piston, caused by changes in pressure during combustion, is a significant factor in the vibrations experienced by the engine along the vertical axis (z-axis). Through the analysis of this correlation, the section provides a detailed viewpoint on how the combustion process is expressed about vertical vibrations, enhancing our comprehensive comprehension of engine performance.^[46]

3.8.3 nuanced understanding of combustion-induced vibrations

An in-depth explanation of how combustion properties, specifically cylinder pressure and heat release rate, impact vibrations in the z-axis enhances the understanding of vibrations caused by combustion.^[47] This section examines how changes in specific combustion characteristics can result in unique patterns in vertical vibrations. This subtle understanding is essential for researchers and engineers who want to enhance combustion processes to prevent harmful

vibrational effects in engines.^[48]

Overall, this section enhances our comprehension of the complex connections among cylinder pressure variation, heat release rate, and vertical vibration levels in the engine. The review enhances our understanding of how combustion dynamics affect vibrational behavior along the vertical axis. This contributes vital insights to developing sustainable and vibration-conscious engine technology.^[49]

3.9. Torsional vibration and other components

This review section expands its focus to include other factors contributing to engine vibration, such as the crankshaft's torsional vibration, the valve train's vibration, and the functioning of other accessories. This approach offers a comprehensive perspective on engine vibration by considering the impacts occurring within the cylinder and the dynamic contributions of different components.^[50]

3.9.1 Torsional vibration of the crankshaft

This review section expands its focus to include other factors contributing to engine vibration, such as the crankshaft's torsional vibration, the valve train's vibration, and the functioning of other accessories. This approach offers a broad perspective on engine vibration by considering the impacts occurring within the cylinder and the dynamic contributions of different components.^[51]

3.9.2 Vibration of the valve train

Afterward, the review transitions to the oscillation of the valve train, a complex system comprising camshafts, pushrods, and valves. The vibrations in the valve train can be affected by factors such as the dynamics of combustion, fluctuations in

load, and the specific design of the valve train. This section examines the correlation between valve train vibrations and the broader engine vibration spectrum, recognizing their influence on the overall vibrational properties of the engine.^[52]

3.9.3 Consideration of other accessory operations

In addition to examining the effects within the cylinder and the engine's main components, the section also includes investigating additional auxiliary functions.^[53] This may encompass vibrations caused by the functioning of supplementary systems such as the oil pump, alternator, and cooling fan. Comprehending the role of these additional elements in the complete engine vibration pattern is crucial for a comprehensive evaluation of vibrational impacts in practical engine situations.^[54]

3.9.4 Holistic view of engine vibration

This section thoroughly examines engine vibration, encompassing torsional vibration, valve train vibrations, and accessory operations. This approach recognizes that engine dynamics encompass the interactions between the combustion chamber and its interconnected components.^[55] A thorough understanding of engine vibration is crucial for developing comprehensive strategies to improve engine performance, durability, and overall vibration characteristics.^[56] In summary, this section expands the scope of the assessment to include torsional vibration, valve train vibrations, and other supplementary processes, offering a comprehensive examination of engine vibration dynamics. The study aims to improve understanding of the complexities of regulating and optimizing engine vibrations in different operational conditions by considering these additional components.

4. Conclusion

This investigation revealed a complex relationship between Biodiesel and engine vibration caused by biodiesel and engine part characteristics. The observed reduction in vibration amplitude and the identification of biodiesel blends with enhanced vibration characteristics show that Biodiesel reduces engine vibration. While these findings are promising, more research is needed to maximize Biodiesel's engine performance benefits. Continuous study is necessary because combustion characteristics, fuel quality, and engine component interactions are complicated. Understanding these complexities is essential to using Biodiesel to reduce engine vibration. This evaluation will add to the increasing amount of biodiesel and engine vibration research. Its comprehensive approach and integration of research findings make it a significant resource for alternative fuels and sustainable engine technology researchers, engineers, and stakeholders. This publication provides insights to guide future research and create biodiesel-maximizing tactics. These methods boost engine performance and eliminate vibrations. This conclusion urges scientists to study Biodiesel and engine vibration. We can maximize Biodiesel's potential and create sustainable, vibration-conscious internal combustion engine solutions by

exploring and experimenting.

Conflict of Interest

There is no conflict of interest.

Supporting Information

Not applicable.

References

- [1] S. Vickram, S. Manikandan, S. R. Deena, J. Mundike, R. Subbaiya, N. Karmegam, S. Jones, K. Kumar Yadav, S. W. Chang, B. Ravindran, M. Kumar Awasthi, Advanced biofuel production, policy and technological implementation of nano-additives for sustainable environmental management—A critical review, *Bioresource Technology*, 2023, **387**, 129660, doi: 10.1016/j.biortech.2023.129660.
- [2] S. T. P. Purayil, M. O. Hamdan, S. A. B. Al-Omari, M. Y. E. Selim, E. Elnajjar, Review of hydrogen–gasoline SI dual fuel engines: engine performance and emission, *Energy Reports*, 2023, **9**, 4547-4573, doi: 10.1016/j.egy.2023.03.054.
- [3] S. Vellaiyan, Recent advancements in water emulsion fuel to explore efficient and cleaner production from various biodiesels: a retrospective review, *Renewable and Sustainable Energy Reviews*, 2023, **187**, 113704, doi: 10.1016/j.rser.2023.113704.
- [4] A. Singh, A. K. Choudhary, S. Sinha, H. Panchal, K. K. Sadasivuni, Analysis of vibrations in a diesel engine produced by Jatropha biodiesel using heterogeneous catalyst, *Energy & Environment*, 2023, **34**, 407-428, doi: 10.1177/0958305x211063935.
- [5] S. Iliev, Z. Ivanov, R. Dimitrov, V. Mihaylov, D. Ivanov, S. Stoyanov, S. Atanasova, An experimental investigation into the performance and emission characteristics of a gasoline direct injection engine fueled with isopropanol gasoline blends, *Machines*, 2023, **11**, 1062, doi: 10.3390/machines11121062.
- [6] A. Parker, A. Agrawal, J. Bittle, Representative phenomena of cyclic turbulent combustion in high-pressure fuel sprays, *Flow, Turbulence and Combustion*, 2023, **111**, 675-696, doi: 10.1007/s10494-023-00432-3.
- [7] Dey N, Vickram S, Thanigaivel S, Manikandan S, Subbaiya R, Karmegam N, Aftermath of nanomaterials on lipid profile of microalgae as a radical fuel supplement – A review, *Fuel*, 2023, **333**, 126444, doi.org/10.1016/j.fuel.2022.126444
- [8] J. O'Connor, Understanding the role of flow dynamics in thermoacoustic combustion instability, *Proceedings of the Combustion Institute*, 2023, **39**, 4583-4610, doi: 10.1016/j.proci.2022.07.115.
- [9] S. Ahmed, K. Lockwood, J. H. Miller, N. Huq, J. Luecke, N. Labbe, T. Foust, Understanding fundamental effects of biofuel structure on ignition and physical fuel properties, *Fuel*, 2024, **358**, 129999, doi: 10.1016/j.fuel.2023.129999.
- [10] A. T. Hoang, A. M. Foley, S. Nizetić, Z. Huang, H. C. Ong, A. I. Ölçer, V. V. Pham, X. P. Nguyen, Energy-related

- approach for reduction of CO₂ emissions: a critical strategy on the port-to-ship pathway, *Journal of Cleaner Production*, 2022, **355**, 131772, doi: 10.1016/j.jclepro.2022.131772.
- [11] O. Klyus, P. Rajewski, S. Lebedevas, S. Olszowski, Determination of fuel atomization quality in compression ignition engines using acoustic emission signal, *Combustion Engines*, 2022, **191**, 83-91, doi: 10.19206/ce-149370.
- [12] S. Das, A. Chowdhury, An exploration of biodiesel for application in aviation and automobile sector, *Energy Nexus*, 2023, **10**, 100204, doi: 10.1016/j.nexus.2023.100204.
- [13] P. X. Pham, K. T. Nguyen, T. V. Pham, V. H. Nguyen, Biodiesels manufactured from different feedstock: from fuel properties to fuel atomization and evaporation, *ACS Omega*, 2020, **5**, 20842-20853, doi: 10.1021/acsomega.0c02083.
- [14] C. Deubel, S. Ernst, G. Prokop, Objective evaluation methods of vehicle ride comfort—a literature review, *Journal of Sound and Vibration*, 2023, **548**, 117515, doi: 10.1016/j.jsv.2022.117515.
- [15] R. Y. Dahham, H. Wei, J. Pan, Improving thermal efficiency of internal combustion engines: recent progress and remaining challenges, *Energies*, 2022, **15**, 6222, doi: 10.3390/en15176222.
- [16] O. F. Orikipte, N. M. Gungura, E. Ehimare, D. R. E. Ewim, A critical review of energy consumption and optimization strategies in the Nigerian aviation sector: challenges and prospects, *Bulletin of the National Research Centre*, 2023, **47**, 170, doi: 10.1186/s42269-023-01146-2.
- [17] V. Camobreco, J. Sheehan, J. Duffield, M. Graboski, Understanding the Life-Cycle Costs and Environmental Profile of Biodiesel and Petroleum Diesel Fuel SAE Technical Paper Series. 400 Commonwealth Drive, Warrendale, PA, United States: SAE International, 2000.
- [18] O. Khan, M. Z. Khan, B. K. Bhatt, M. T. Alam, M. Tripathi, Multi-objective optimization of diesel engine performance, vibration and emission parameters employing blends of biodiesel, hydrogen and cerium oxide nanoparticles with the aid of response surface methodology approach, *International Journal of Hydrogen Energy*, 2023, **48**, 21513-21529, doi: 10.1016/j.ijhydene.2022.04.044.
- [19] Murugu Nachippan, N, D. B. Munuswamy, Y. Devarajan, S. Ramalingam, S. Subramani, N. B. Munuswamy, Graphene-enhanced sustainable fuel from Calophyllum inophyllum for premixed charge compression ignition engines: Advancing circular economy and emission reduction, *Results in Engineering*, 2024, **24**, 103096, doi.org/10.1016/j.rineng.2024.103096
- [20] U. Shahbaz, S. Zubair, A. Younas, X. B. Yu, N. Fatima, S. Babar, S. Basharat, A. Bibi, M. I. Hussain, Biotechnological approaches to enhance algae biofuel production, Technological Advancement in Algal Biofuels Production. Springer Singapore, 2023.
- [21] N. X. Khoa, N. T. Nghia, V. H. Quan, N. A. Ngoc, The effects of EGR and oxygen content on the GCI engine performance under two-injection modes and fueled biodiesel blends, *Arabian Journal for Science and Engineering*, 2024, **49**, 10859-10866, doi: 10.1007/s13369-023-08477-2.
- [22] Ü. Ağbulut, M. Karagöz, S. Saridemir, A. Öztürk, Impact of various metal-oxide based nanoparticles and biodiesel blends on the combustion, performance, emission, vibration and noise characteristics of a CI engine, *Fuel*, 2020, **270**, 117521, doi: 10.1016/j.fuel.2020.117521.
- [23] A. Santhoshkumar, V. Thangarasu, A. Ramanathan, Experimental and empirical analysis of performance, combustion and emission characteristics of diesel engine fueled with pyrolysis waste engine oil under single and split injection strategy, *Sustainable Energy Technologies and Assessments*, 2023, **55**, 102893, doi: 10.1016/j.seta.2022.102893.
- [24] B. Saravanan, B. Musthafa, M. A. Asokan, Assessment of ci engine vibration at various injection timing and injection pressure with *ceiba pentandra* biodiesel, *International Journal of Green Energy*, 2024, **21**, 719-731, doi: 10.1080/15435075.2023.2211131.
- [25] P. Otchere, J. Pan, B. Fan, W. Chen, Y. Lu, J. Li, Biodiesel spray characteristics and a CFD simulation study of injection timing effects on the combustion process in a biodiesel-fueled, direct-injection rotary engine, *Journal of Energy Engineering*, 2020, **146**, 04020043, doi: 10.1061/(asce)ey.1943-7897.0000675.
- [26] A. Çakmak, H. Özcan, Analysis of combustion and emissions characteristics of a DI diesel engine fuelled with diesel/biodiesel/glycerol tert-butyl ethers mixture by altering compression ratio and injection timing, *Fuel*, 2022, **315**, 123200, doi: 10.1016/j.fuel.2022.123200.
- [27] A. Automotive, S. Raj Singh, S. Kwan Rhee, S. C. Llc, An investigation of moisture sorption and its influence on brake pad modulus and compressibility: tangent modulus of compression vs. dynamic modulus: review of compressibility vs. hardness EuroBrake 2022 - Technical Content. FISITA, 2022.
- [28] S. H. Shariff, S. Vadapalli, J. Sagari, Influence of FeCl₃ nanoparticle dispersion in cassia fistula biodiesel blend on the analysis of vibration and noise intensity of a diesel engine, *Journal of Vibration Engineering & Technologies*, 2022, **10**, 1531-1539, doi: 10.1007/s42417-022-00465-4.
- [29] A. Watanabe, A. Hohkita, M. Soma, H. Saeki, T. Ishikawa, J. Borg, Noise reduction in gasoline DI engines SAE technical paper series. 400 Commonwealth Drive, Warrendale, PA, United States: SAE International, 2011.
- [30] S. Bhangwar, A. Abbasi, L. A. Memon, S. M. Ghoto, A. H. Shah, M. R. Luhur, Deposition formation effect of biodiesel in a diesel engine fuel injector, *International Journal of Emerging Trends in Engineering Research*, 2021, **9**, 1057-1060, doi: 10.30534/ijeter/2021/03982021.
- [31] O. Ogunkunle, N. A. Ahmed, Overview of biodiesel combustion in mitigating the adverse impacts of engine emissions on the sustainable human–environment scenario, *Sustainability*, 2021, **13**, 5465, doi: 10.3390/su13105465.

- [32] V. Venkatesan, N. Nallusamy, P. Nagapandiselvi, Reduction of vibration and noise pollution from agricultural tractor engine using novel pine oil and soapnut oil methyl ester as fuel, *Environmental Science and Pollution Research*, 2023, **30**, 36392-36404, doi: 10.1007/s11356-022-24626-w.
- [33] X. Wang, A.-L. Osvelder, P. Höstmad, I. Johansson, Human Response to Vibrations and Its Contribution to the Overall Ride Comfort in Automotive Vehicles - A Literature Review SAE Technical Paper Series. 400 Commonwealth Drive, Warrendale, PA, United States: SAE International, 2020, doi: 10.4271/2020-01-1085.
- [34] S. Naresh Kumar Reddy, M. Marouf Wani, A comprehensive review on effects of nanoparticles-antioxidant additives-biodiesel blends on performance and emissions of diesel engine, *Applied Science and Engineering Progress*, 2020, **13**, 285-298, doi: 10.14416/j.asep.2020.06.002.
- [35] N. S. Naik, B. Balakrishna, A comparative study of performance and combustion characteristics of a CI diesel engine fuelled with B20 biodiesel blends, *International Journal of Ambient Energy*, 2019, **40**, 21-27, doi: 10.1080/01430750.2017.1360199.
- [36] G. Tüccar, Experimental study on vibration and noise characteristics of a diesel engine fueled with mustard oil biodiesel and hydrogen gas mixtures, *Biofuels*, 2021, **12**, 537-542, doi: 10.1080/17597269.2018.1506631.
- [37] D. B. Munuswamy, Y. Devarajan, Critical examination of the role of silica nanoparticle dispersions in heat transfer fluid for solar applications, *Silicon*, 2023, **15**, 571-581, doi: 10.1007/s12633-022-02015-9.
- [38] S. Uslu, M. Celik, Response surface methodology-based optimization of the amount of cerium dioxide (CeO₂) to increase the performance and reduce emissions of a diesel engine fueled by cerium dioxide/diesel blends, *Energy*, 2023, **266**, 126403, doi: 10.1016/j.energy.2022.126403.
- [39] A. Harikrishna, B. C. M. Reddy, Effect of diesel-B20-pentanol and diesel-B20-butanol blends on diesel engine performance, emission and combustion characteristics, *Journal of Mechanics*, 2023, ufad038, doi: 10.1093/jom/ufad038.
- [40] Z. Said, D. T. Nguyen Le, P. Sharma, V. H. Dang, H. S. Le, D. T. Nguyen, T. A. Em Bui, V. G. Nguyen, RETRACTED: Optimization of combustion, performance, and emission characteristics of a dual-fuel diesel engine powered with microalgae-based biodiesel/diesel blends and oxyhydrogen, *Fuel*, 2022, **326**, 124987, doi: 10.1016/j.fuel.2022.124987.
- [41] S. Hänggi, G. Moretto, T. Albin, C. Onder, The potential of heat release rate and cylinder pressure feedback control for conventional and premixed charge compression ignition combustion, *International Journal of Engine Research*, 2021, **22**, 3080-3100, doi: 10.1177/1468087420948314.
- [42] J. Sagari, S. Vdapalli, R. Medidi, R. S. Hota, S. N. Kota, C. Dibba, Combustion and vibration study of a direct injection compression ignition engine fuelled with *Moringa oleifera* biodiesel-diesel blends, *International Journal of Ambient Energy*, 2022, **43**, 6142-6148, doi: 10.1080/01430750.2021.1997808.
- [43] D. J. Godwin, E. G. Varuvel, M. L. J. Martin, Prediction of combustion, performance, and emission parameters of ethanol powered spark ignition engine using ensemble Least Squares boosting machine learning algorithms, *Journal of Cleaner Production*, 2023, **421**, 138401, doi: 10.1016/j.jclepro.2023.138401.
- [44] H. E. Gülcan, M. Ciniviz, The effect of pure methane energy fraction on combustion performance, energy analysis and environmental - economic cost indicators in a single-cylinder common rail methane-diesel dual fuel engine, *Applied Thermal Engineering*, 2023, **230**, 120712, doi: 10.1016/j.applthermaleng.2023.120712.
- [45] A. Patel, M. Taufik, Extrusion-based technology in additive manufacturing: a comprehensive review, *Arabian Journal for Science and Engineering*, 2024, **49**, 1309-1342, doi: 10.1007/s13369-022-07539-1.
- [46] B. Han, Z. Wang, H. Ji, L. Sun, Y. Lu, Analysis of friction characteristics of valve plate pair in an axial piston pump considering cylinder block dynamics, *Journal of Tribology*, 2024, **146**, 041702, doi: 10.1115/1.4064116.
- [47] S. Kanth, T. Ananad, S. Debbarma, B. Das, Effect of fuel opening injection pressure and injection timing of hydrogen enriched rice bran biodiesel fuelled in CI engine, *International Journal of Hydrogen Energy*, 2021, **46**, 28789-28800, doi: 10.1016/j.ijhydene.2021.06.087.
- [48] V. Soloiu, J. McAfee, M. Ilie, A. Rowell, J. Willis, N. Dillon, Experimental and numerical investigation of combustion and noise, vibrations, and harshness emissions in a drone jet engine fueled with synthetic paraffinic kerosene, *SAE International Journal of Aerospace*, 2023, **17**, 1-17-01-0006, doi: 10.4271/01-17-01-0006.
- [49] K. P. Rao, B. V. A. Rao, V. R. Babu, Heat release rate and engine vibration correlation to investigate combustion propensity of an IDI engine Run with biodiesel (MME) and methanol additive as an alternative to diesel fuel, *Biofuels*, 2015, **6**, 45-54, doi: 10.1080/17597269.2015.1045275.
- [50] S. Kozytskyi, S. Kiriian, Dilatant-fluid torsional vibration damper for a four-stroke diesel engine crankshaft, *Polish Maritime Research*, 2023, **30**, 121-125, doi: 10.2478/pomr-2023-0012.
- [51] X. Zhao, M. Fang, H. Gao, Study on vibration damping performance of composite crankshaft torsional vibration damper, *Journal of Physics: Conference Series*, 2022, **2235**, 012027, doi: 10.1088/1742-6596/2235/1/012027.
- [52] Y. Gao, Y. Hu, B. Zhou, Experimental study and hardware design of diesel engine valve timing detection based on cylinder cover vibrations, 2022 7th International Conference on Power and Renewable Energy (ICPRE). Shanghai, China. IEEE, 2022.
- [53] J. R. Serrano, F. J. Arnau, L. M. García-Cuevas, F. A. Gutiérrez, Coupling an oxygen generation cycle with an oxy-fuel combustion spark ignition engine for zero NO_x emissions and carbon capture: a feasibility study, *Energy Conversion and Management*, 2023, **284**, 116973, doi: 10.1016/j.enconman.2023.116973.

10.1016/j.enconman.2023.116973.

[54] K. Sunil Kumar, J. M. Babu, H. Venu, A. Muthuraja, Waste plastic as a source of biofuel for stationary diesel engine: a critical review, *International Journal of Ambient Energy*, 2022, **43**, 8577-8591.

[55] W. Sun, X. Shi, X. Lu, D. Hua, R. Li, H. Liu, Coupling analysis of timing gear dynamics and three-dimensional mixed lubrication under multi-branch shafting of marine diesel engine, *Structures*, 2023, **58**, 105351, doi: 10.1016/j.istruc.2023.105351.

[56] Kumar, K. S, Muniamuthu, S, Assessment of performance, combustion, and emission characteristics of single cylinder diesel engine fuelled by pyrolysis oil+ CeO₂ nanoparticles and 1-butanol blends, *International Journal of Ambient Energy*, 2024, **45**, 2344568.

Publisher's Note: Engineered Science Publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.